

# LiHD

Cut the cord –  
keep the power.



New: LiHD 4.0 Ah and 8.0 Ah

PRICES  
VALID  
NOV'18 TO  
FEB'19

**metabo**<sup>®</sup>  
PROFESSIONAL POWER TOOL SOLUTIONS



# Leading technology.

With the new LiHD technology, Metabo achieves a new performance level in cordless machines which are directly comparable to that of corded tools. It is the combination of many different components that offer added power, service life, and runtime. No matter what Metabo battery pack you choose.

## More power


with new LiHD cell technology in combination with a newly developed battery pack

- Enlarged power rails and contacts capable of handling high currents
- 3x better conductivity with cell connectors made of a specialized copper alloy

## Longer service life

and extreme **ruggedness**:

- Optimal protection against internal contamination with fully encapsulated cast design and full protective coating of electronics, as well as optimal gasket in the cover structure.
- Protection of the cells with rubber pads
- Less frequent charging due to more usable cell energy
- Exterior rubber coating on the battery pack provides a secure and non-slip grip and also serves as shock protection





# LiHD - The most powerful battery pack technology in the world!

## More runtime

- More active material in the cell
- Use of high quality materials (silver and copper)



**8.0 Ah**

Maximum performance and maximum runtime



**5.5 Ah**

Maximum performance



**4.0 Ah**

Compact and strong



# Convenient – 1 battery pack for all applications.

Do you need the ideal tool for every task? Our battery assortment provides not only all common power tools, but also a range of unique machines specially tailored to your requirements.



## 100% compatibility

with all Metabo 18 V cordless machines, yesterday, today and in the future.




## Ultra-M technology

Perfect interaction between machine, battery pack and charger.

# Guaranteed.



3 year battery pack warranty on all Li-Power and LiHD battery packs without a restriction on charging cycles.





**851**  
Power Tools Battery pack

**18V**





# 18 V Core Range

## Simple – a clever combination.

What job do you need to do today?

With our Pick+Mix, you can create your exact desired combination.

You only pay for what you really need.

### Drills and Hammer Drills



Brushless

**Cordless Drill / Screwdriver  
BS 18 LTX BL Q I**  
120 Nm / 0-500 / 1,850 /min



**High Speed Drill  
BE 18 LTX 6**  
4 Nm / 0-4000/min



Brushless

**Cordless Hammer Drill  
SB 18 LTX-3 BL I**  
120 Nm / 0-500 / 0-2050 /  
0-3800 rpm



Brushless

**Cordless Tapper  
GB 18 LTX BL Q I**  
120 Nm / 0-600 / 2,050 /min



Brushless

**Cordless Drill / Screwdriver  
SB 18 LTX BL I**  
120 Nm / 0-500 / 1,850 /min



Brushless

**Cordless Hammer Drill  
SB 18 LTX BL Q I**  
120 Nm / 0-500 / 1,850 /min

### Screwdriving, Impact Drivers & Wrenches



**Cordless Impact Driver 1/4\"/>**



Brushless

**Cordless Impact Driver 1/4\"/>**



**Cordless Impact Wrench 1/2\"/>**



Brushless

**Cordless Impact Driver 1/2\"/>**



Brushless

**Cordless Impact Driver 1/2\"/>**



**Cordless Impact Driver 1/2\"/>**



**Cordless Drywall Screwdriver  
SE 18 LTX 2500**  
9 Nm / 0-2,500 /min



**Cordless Drywall Screwdriver  
SE 18 LTX 4000**  
7 Nm / 0-4,000 /min



**Cordless Drywall Screwdriver  
SE 18 LTX 6000**  
5 Nm / 0-6,000 /min

### Metalworking



**Cordless Angle Grinder  
W 18 LTX 125 Quick**  
Ø 125 mm / 8,000 /min



**Cordless Angle Grinder  
WP 18 LTX 125 Quick**  
Ø 125 mm / 8,000 /min



Brushless

**Cordless Angle Grinder  
WB 18 LTX BL 125 Quick**  
Ø 125 mm / 9,000 /min



Brushless

**Cordless Angle Grinder  
W/PADDLE  
WPB 18 LTX BL 125 Quick**  
Ø 125 mm / 9,000 /min



**Cordless Flat-Head Angle Grinder  
WF 18 LTX 125 Quick**  
Ø 125 mm / 8,000 /min



Brushless

**Cordless Angle Grinder  
WB 18 LTX BL 180**  
Ø 180 mm / 8,200 /min



Brushless

**Cordless Angle Grinder Twin 18V  
WPB 36-18 LTX BL 230**  
Ø 230 mm / 6,600 /min



**Cordless Die Grinder  
GA 18 LTX G**  
Ø 6 mm / 6,000 /min



**Cordless Die Grinder  
GA 18 LTX G**  
Ø 6 mm / 6,000 /min



**Power Shear  
KU 18 LTX**  
2.6 m³/min / 74 m/s

### Stainless Steel



**Burnishing Machine  
S 18 LTX 115**



**Band File  
BF 18 LTX 90**



**Tube Belt Sander  
RB 18 LTX 60**



**Inox Angle Grinder  
W 18 LTX 125 Quick Inox**



**Fillet Weld Grinder  
KNS 18 LTX 150**

### Battery/Chargers



**18 V/LiHD 4.0 Ah**  
Order no. 625367000



**18 V/LiHD 5.5 Ah**  
Order no. 625368000



**18 V/LiHD 8.0 Ah**  
Order no. 625369000



**Charger  
ASC 30-36 V**  
Order no. 627044000



**Quick Charger  
ASC Ultra**  
Order no. 627265000



# PICK+MIX

## Combination Hammer



**Cordless Combination Hammer KHA 18 LTX**  
2.2 J / SDS-plus



**Cordless Combination Hammer KHA 18 LTX BL 24 Quick**  
2.2 J / SDS-plus



**Cordless Combination Hammer KHA 18 LTX BL 24 Quick Set ISA**  
2.2 J / SDS-plus



**2x 18V Cordless Combination hammer KHA 36-18 LTX 32**  
3.1 J / SDS-plus

## Sawing



**Cordless Sabre Saw SSE 18 LTX Compact**  
0-3,100 /min / 13 mm



**Cordless Sabre Saw ASE 18 LTX**  
0 - 2,700 /min / 30 mm



**Cordless Sliding Mitre Saw KGS 18 LTX 216**  
Ø 216 mm / 4,200 /min



**Cordless Mitre Saw KS 18 LTX 216**  
Ø 216 mm / 4,200 /min



**Cordless Jigsaw STA 18 LTX 140**  
140 mm / 1,000 - 3,000 /min



**Cordless Jigsaw D Handle STA 18 LTX**  
135 mm / 0 - 2,700 /min



**Cordless Circular Saw KSA 18 LTX**  
0 - 53.5 mm / 2,700 /min



**Cordless Circular Saw KS 18 LTX 57**  
0 - 57 mm / 4,600 /min

## Special Applications



**Cordless Blind Rivet Gun NP 18 LTX BL 5.0**  
2.4 - 5 mm / 10,000 N



**Cordless Planer HO 18 LTX 20-82**  
0-2 mm / 16,000 /min



**Cordless Beveling Tool KFM 18 LTX 3 RF**  
Chamfer 45° / radii 2 + 3 mm




**Cordless Band Saw MBS 18 LTX 2.5**  
63.5 mm / 174 m/min



**Cordless Stirrer RW 18 LTX 120**  
40 l / 0-750 /min



**Cordless Stirrer RW 18 LTX 120**  
40 l / 0-750 /min



**Cordless Caulking Gun KPA 18 LTX 600**  
1-10 mm/s / 7,259 N



**Cordless Multi-Tool MT 18 LTX**  
1.6° / 7,000 - 18,000 /min

## Complimentary Tools



**Cordless Vacuum Cleaner AS 18 L PC**  
7.5 l / 2,100 l/min



**Cordless Blower AG 18**  
2.6 m³/min / 74 m/s



**Cordless Hedge Trimmer AHS 18-55 V**  
53 cm / 2,700 /min



**Cordless Fan AV 18** 3.8 m/s / Ø 42 cm  
1300 rpm; 355 mm / 14"



**Heated Jacket HJA 14.4-18**  
12 Hours/Battery Charge



**Cordless Worksite Radio R 12-18 BT with Bluetooth**



**USB Power Adaptor PA 14.4-18 LED-USB**



**LED Torch ULA 14.4-18 LED**  
16 Hours/Battery Charge



**Cordless LED Lamp SLA 14.4-18 LED** 440 lm  
11 Hours/battery charge



**Cordless LED Site Light BSA 14.4-18 LED** 2,600 lm  
8.3 hours/battery charge

## CORDLESS DRILLS / SCREWDRIVERS LTX CLASS

### Common features

- Selectable "impuls" mode for removal of stubborn screws and for spot-drilling on smooth surfaces
- Robust die cast aluminium gear housing for optimum heat dissipation and long service life
- Overload protection: protects the motor from overheating
- Spindle with hexagonal recess for screwdriver bits for working without chuck
- Integrated working light to illuminate the contact area
- With handy belt hook and bit case which can be fixed either on the right or left side
- Ultra-M technology for high performance, gentle charging and 3 years' warranty on the battery pack

### BS 18 LTX BL Q I Cordless Drill/Screwdriver skin

602351890



- Metabo Quick System: quick change of bit retainer and bits
- Unique Metabo brushless motor

Maximum torque, hard	120 Nm
Drill Ø steel/soft wood	13 mm / 65 mm
No-load speeds	0 - 500 / 0 - 1,850 /min
Chuck capacity	1.5 - 13 mm
Weight	2 kg

**\$649**


### BE 18 LTX 6 - High Speed Cordless Metal Drill skin

600261890



- Fast and handy cordless drill with high precision for drilling into metal
- Integrated working light to illuminate the contact area
- Robust die cast aluminium gear housing for optimum heat dissipation and long service life
- Overload protection

Maximum torque	4 Nm
Drill Ø steel/soft wood	6 mm / 12 mm
No-load speeds	0 - 4,000 /min
Chuck capacity	1 - 10 mm
Weight	1.2 kg

**\$449**


### GB 18 LTX BL Q I Cordless Tapper skin

603827890

- High-grade cordless drill/screwdriver with unique, patented thread-tapping function
- Quick and interruption-free cutting and cleaning of threads thanks to automatic change of direction of rotation

- Metabo Quick System: quick change of bit retainer and bits, for flexible working
- Unique Metabo brushless motor for quick work progress and highest efficiency when drilling and screwdriving

Maximum torque - soft	60 Nm
Maximum torque, hard	120 Nm
Largest thread diameter	M4 - M12
No-load speeds	0 - 600 / 0 - 2,050 /min

**\$596**


## CORDLESS DRYWALL SCREWDRIVERS

### Common features

- Compact and light design for comfortable one-hand operation
- Precise driving of screws by virtue of finely adjustable depth guide and low-noise claw clutch
- Depth guide can be fully removed for inspection during operation
- Variospeed (V) Electronics for working at customised speeds to suit various application materials
- Integrated working light to illuminate the contact area
- Handy belt hook, can be fixed either on the right or left side
- Screwdriver magazine SM 5-55 (order no. 631618000) can be added for applying screws accurately in quick succession

### SE 18 LTX 6000 skin

620049890

- High Rpm

**\$479**

Bit retainer	Hexagon recess 1/4"
Maximum torque - soft	5 Nm
No-load speed	0 - 6,000 /min
Weight	1.3 kg



### SE 18 LTX 4000 skin

620048890

- Medium Rpm
- Medium Torque

**\$479**

Bit retainer	Hexagon recess 1/4"
Maximum torque - soft	7 Nm
No-load speed	0 - 4,000 /min
Weight	1.3 kg



### SE 18 LTX 2500 skin

620047890

- High Torque

**\$479**

Bit retainer	Hexagon recess 1/4"
Maximum torque - soft	9 Nm
No-load speed	0 - 2,500 /min
Weight	1.4 kg





## CORDLESS IMPACT DRIVERS/WRENCHES

### Common features

- Low kick-back operation with high torque
- Integrated work light for illumination of the work area
- Robust die cast aluminium gear housing for optimum heat dissipation and long service life
- With handy belt hook and bit case which can be fixed either on the right or left side
- Ultra-M technology: highest performance, gentle charging and 3 years of warranty on the battery pack.

### SSD 18 LTX 200 BL Cordless Impact Wrench skin

602205890

- Unique Metabo brushless motor for quick work progress and highest efficiency for any application
- Automatic Power Shift (APS) supports working with self-tapping screws: automatic torque reduction after drilling to prevent overtightening.
- Twelve speed/torque levels for a wide range of applications



Maximum impact rate	4,000 /min
Maximum torque	200 Nm
Bit retainer	Hexagon recess 1/4"
Weight	1.3 kg

**\$439**

### SSD 18 LTX 200 Cordless Impact Wrench skin

602196850

- Three speed/torque levels for a varied range of applications
- low kick-back torque



**\$297**

Maximum impact rate	3,300 /min
Maximum torque	150 Nm
Bit retainer	Hexagonal 1/4"
Weight	1.4 kg

### SSW 18 LTX 200 Cordless Impact Wrench skin

602195850

- Three speed/torque levels for a varied range of applications
- low kick-back torque



**\$297**

Maximum impact rate	3,000 /min
Maximum torque	210 Nm
Bit retainer	Male square 1/2"
Weight	1.4 kg

### SSW 18 LTX 300 BL Impact Wrench skin

603828840

- Unique Metabo brushless motor for quick work progress and highest efficiency for any application
- Automatic Power Shift (APS) supports working with self-tapping screws: automatic torque reduction after drilling to prevent overtightening.
- Twelve speed/torque levels for a wide range of applications



Maximum impact rate	0-2650 /min
Maximum torque	300 Nm
Bit retainer	Male Square 1/2"
Max Impact Rate	3750 bpm

**\$439**

### SSW 18 LTX 400 BL Cordless Impact Wrench skin

602205890

- Unique Metabo brushless motor for quick work progress and highest efficiency for any application
- Overload protection: protects the motor from overheating
- High torque accompanied by an exceptionally compact design
- Twelve speed/torque levels for a wide range of applications



Maximum impact rate	4,250 /min
Maximum torque	400 Nm
Bit retainer	Male square 1/2"
Weight	1.7 kg

**\$519**

### SSW 18 LTX 600 Cordless Impact Wrench skin

602198890

- High torque machine with low kick-back torque
- Integrated work light for illumination of the work area
- Robust die cast aluminium gear housing for optimum heat dissipation and durability
- Handy belt hook, can be fixed either on the right or left side



**\$649**

Maximum impact rate	2,200 /min
Maximum torque	600 Nm
Bit retainer	Male square 1/2"
Weight	3.1 kg



## CORDLESS HAMMER DRILLS

### Common features

- High-performance impact mechanism for optimum drilling performance
- Spindle with hexagonal recess for screwdriver bits for working without chuck
- Integrated working light to illuminate the contact area
- With handy belt hook and bit case which can be fixed either on the right or left side
- Ultra-M technology for high performance, gentle charging and 3 years' warranty on the battery pack

### SB 18 LTX BL I Cordless Hammer Drill skin

602352890

- Brushless hammer drill with maximum power for demanding applications
- Unique Metabo brushless motor for quick work progress and highest efficiency when drilling and screwdriving
- Selectable "impuls" mode for removal of stubborn screws and for spot-drilling on smooth surfaces

Maximum torque, hard	120 Nm
Drill-Ø masonry / steel / soft wood	16 mm / 13 mm / 65 mm
No-load speed	0 - 500 / 0 - 1,850 /min
Maximum impact rate	32,300 /min
Chuck capacity	1.5 - 13 mm
Weight	2.2 kg

**\$549**

BRUSHLESS MOTOR




### SB 18 LTX BL Q I Cordless Hammer Drill skin

602353890

- Brushless hammer drill with maximum power for demanding applications
- Selectable "impuls" mode for removal of stubborn screws and for spot-drilling on smooth surfaces
- Metabo Quick System: quick change of bit retainer and bits, for flexible working

**\$579**

Maximum torque, hard	110 Nm
Drill-Ø masonry / steel / soft wood	16 mm / 13 mm / 65 mm
No-load speed	0 - 500 / 0 - 1,700 /min
Maximum impact rate	32,300 /min
Chuck capacity	1.5 - 13 mm
Weight	2.2 kg




### SB 18 LTX 3-BL I Cordless Hammer Drill skin

602356890

- Brushless 3-speed hammer drill with maximum power
- Third speed setting with high torque (max. 3,800/min)
- Selectable "impuls" mode for removal of stubborn screws and for spot-drilling on smooth surfaces

**\$649**

Maximum torque, hard	120 Nm
Drill-Ø masonry / steel / soft wood	16 mm / 13 mm / 65 mm
No-load speed	0 - 500 / 0 - 2,050 / 0 - 3,800 /min
Maximum impact rate	32,300 /min
Chuck capacity	1.5 - 13 mm
Weight	2.3 kg



## CORDLESS COMBINATION HAMMERS

### Common features

- Combination hammer for hammer drilling, drilling without hammer and chiselling
- Variospeed (V) Electronics for working at customised speeds to suit various application materials
- Metabo S-automatic safety clutch: mechanical decoupling of the drive for safe working should the drill stop unexpectedly
- Ultra-M technology for high performance, gentle charging and 3 years' warranty on the battery pack

### KHA 18 LTX BL 24 Quick Set ISA Rotary Hammer skin

600211890

- Extremely light and compact cordless hammer with integrated extraction interface
- Metabo Quick: fast, tool-free chuck for working with SDS-plus and straight shank drill bits
- Dust-free drilling with compact dust extraction ISA 18 LTX 24 (accessory)

Max. single-impact energy (EPTA)	2.2 J
Drill-Ø concrete with hammer drills	24 mm
Drill Ø steel/soft wood	13 mm / 25 mm
Weight (including battery pack)	3.4 kg

**\$1179**



NEW



### KHA 18 LTX Rotary Hammer skin

600210890

- LED work light for optimum view of the drilling site

**\$479**

Max. single-impact energy (EPTA)	2.2 J
Drill-Ø concrete with hammer drills	24 mm
Drill Ø steel/soft wood	13 mm / 25 mm
Weight	2.9 kg



### ISA 18 LTX 24 (631341890) Dust Extraction Attachment

### KHA 36-18 LTX 32 Rotary Hammer Twin 18V skin

600796840

- Metabo VibraTech (MVT): integrated damping system
- Ergonomic housing shape for chiselling tasks without side handle
- Metabo Quick: fast, tool-free chuck for working with SDS-plus and straight shank drill bits

**\$939**

18 V 18 V 36 V

Max. single-impact energy (EPTA)	3.1 J
Drill-Ø concrete with hammer drills	32 mm
Drill Ø steel/soft wood	13 mm / 30 mm
Weight	4.7 kg





## CORDLESS ANGLE GRINDERS

## Common features

- Slim design for prolonged comfort when working overhead or in areas with limited space
- Metabo Quick for tool-free disc change by means of a quick-locking nut
- Tool-free adjustable guard; twist-proof
- Battery pack can be swivelled for better access in hard to reach places
- Detachable dust protection filter protects motor from coarse particles
- Overload protection protects the motor from overheating
- Electronic soft start for smooth start-up
- Restart protection prevents unintentional start-up after power supply interruption
- Ultra-M technology for high performance, gentle charging and 3 years' warranty on the battery pack

## WF 18 LTX 125 Quick Flat Head Grinder skin 601306890

- Extremely flat gear head permits working within acute angles down to 43°
- Compact design for quick removal of welding slag, rust or paint in confined spaces e.g. frame constructions
- Low-fatigue working even on weld seams in difficult to access places thanks to slim handle

Minimum accessible angle	43 °
Grinding wheel Ø	125 mm
No-load speed	8,000 /min
Spindle threads	M 14
Weight	2.4 kg

**\$449**

## W 18 LTX 125 Quick Angle Grinder skin 602174850

Grinding wheel Ø	125 mm
No-load speed	8,000 /min
Spindle threads	M 14
Weight	2.4 kg

**\$309**

## WP 18 LTX 125 Quick Angle Grinder skin 613072890

- Paddle switch with dead man function: safe to operate due to an ergonomically integrated non-slip switch

**\$309**

Battery pack Vage	18 V
Grinding wheel Ø	125 mm
No-load speed	8,000 /min
Spindle threads	M 14
Weight	2.4 kg

## WB 18 LTX BL 125 Quick Angle Grinder skin 613077840

- Unique encapsulated Metabo brushless motor with optimum protection from dust provides quick work progress and the highest efficiency
- Electronic safety shutdown: reduces kickback if the disc stops unexpectedly - for high user safety
- Fast brake system with safety spindle for highest user safety

**\$459**

Grinding wheel Ø	125 mm
No-load speed	9,000 /min
Spindle threads	M 14
Weight	2.6 kg

## WPB 18 LTX BL 125 Quick Angle Grinder skin 613075850

- Unique encapsulated Metabo brushless motor with optimum protection from dust provides quick work progress and the highest efficiency
- Electronic safety shutdown: reduces kickback if the disc stops unexpectedly - for high user safety
- Paddle switch with dead man function:

**\$479**

Grinding wheel Ø	125 mm
No-load speed	9,000 /min
Spindle threads	M 14
Weight	2.6 kg

## WB 18 LTX BL 180 Angle Grinder skin 613087840

- Same cutting depth like a large mains angle grinder with Ø 230 mm; ideal for cutting jobs on the roof
- Unique encapsulated Metabo brushless motor with optimum protection from dust provides quick work progress and the highest efficiency
- Electronic safety shutdown: reduces kickback if the disc stops unexpectedly - for high user safety
- Fast brake system with safety spindle for highest user safety:

**\$649**

Grinding wheel Ø	180 mm
No-load speed	8,200 /min
Spindle threads	M 14
Weight	2.6 kg

## WPB 36-18 LTX BL 230 Angle Grinder- TWIN 18V skin

613102840

- Fast brake system, Large cutting depth of 77 mm, Unique encapsulated Metabo brushless motor
- Paddle switch with dead man function, Rotating main handle, Metabo VibraTech (MVT) side handle for vibration damping
- Electronic safety shutdown: reduces kickback, Overload protection, Soft start, Restart protection

**18 V + 18 V 36 V**

Grinding wheel Ø	230 mm
No-load speed	6,600 /min
Spindle threads	M 14
Weight	6.5 kg

**\$1159**

## DIE GRINDER

## Common features

- Spindle lock for simple change of tools
- Electronic safety shutdown of the motor for safe working in case the tool stops unexpectedly
- Restart protection: prevents unintentional start-up after power supply interruption
- Overload protection: protects the motor from overheating
- Removable protective rubber cap for comfortable and safe working
- Slim design for ideal handling
- Precision collet for precise concentricity
- Ultra-M technology: highest performance, gentle charging and 3 years of warranty on the battery pack.

## GA 18 LTX G Cordless Die Grinder skin

600639850

- High torque and compact design thanks to robust planetary gear train

**\$549**

No-load speed	6,000 /min
Collar diameter	43 mm
Weight	2.2 kg



## GA 18 LTX Cordless Die Grinder skin

600638890

- High speed for fast material removal (25000 rpm)

**\$479**

No-load speed	25,000 /min
Collar diameter	43 mm
Weight	2.1 kg



## CORDLESS PROCESSING STAINLESS STEEL 18V

## Common features

- Robust motor for long service life
- Detachable dust protection filter protects motor from coarse particles
- Electronic soft start for smooth start-up
- Overload protection protects the motor from overheating
- Restart protection prevents unintentional start-up after power supply interruption
- Battery pack can be swivelled for better access in hard to reach places
- Ultra-M technology for high performance, gentle charging and 3 years' warranty on the battery pack

## W 18 LTX 125 Quick Inox Angle Grinder skin

600174850

- Speed and torque configured precisely for stainless steel processing ensuring a cool grinding action with perfect finish

**\$519**

Grinding wheel Ø	125 mm
No-load speed	5,000 /min
Spindle threads	M 14
Weight	2.4 kg



## BF 18 LTX 90 Band File skin

600321850

- Powerful, compact cordless band file for grinding, satin-finish and deburring in places difficult to reach
- Tool-free sanding belt change and adjustable belt guide
- Grinding attachment can be swivelled by 270° for perfect adaptation to any working position



Grinding belt width	6 - 19 mm
Grinding belt length	457 mm
Useful length of sanding belt arm	90 mm
Weight	2.6 kg

**\$799**

## KNS 18 LTX 150 Fillet Weld Grinder skin

600191850

- Very flat cordless fillet weld grinder for processing stainless steel weld seams in tight spaces
- Spindle lock for quick disc change
- Adjustable without tools, removable guard

**\$1479**

No-load speed	3,800 /min
Disc diameter	150 mm
Spindle threads	M 14
Weight	3 kg



## S 18 LTX 115 Burnishing Machine skin

600321850

- Compact cordless burnishing machine for grinding, satin-finish, brushing and high-gloss polishing of e.g. stainless steel
- Spindle lock and flange nut for quick roller change without tools
- Bracket for side handle with different mounting points; adjustable without tools
- Smooth-running, form-fit roller arbor for a uniform grinding result

**\$839**

## RB 18 LTX 60 Tube Belt Sander skin

600192850

- Compact cordless tube belt sander for quick, flexible processing of stainless steel pipes
- Large wrap angle of 190° for smooth surfaces
- Tool-free sanding belt change and adjustable belt guide

Belt speed in idle	9.2 m/s
Grinding belt dimensions	30 x 533 mm
Maximum pipe diameter	60 mm
Wrap angle	190 °
Weight	3.3 kg

**\$1098**



## 18 V Cordless Circular Saw KS 18 LTX 57 skin

601857840

- Powerful, light, cordless circular saw for universal use on construction sites
- Aluminium base plate can be directly used on guide rails from Metabo and other manufacturers
- Fast brake stops the saw blade quickly and improves safety
- Accurately angled bevel cuts down to 50°, with handy snap-in point at 45°
- 0° position re-adjustable for highest cutting precision
- Clearly visible cutting indicator for precise sawing after initial cut
- Handle with non-slip soft-grip surface for safe guidance
- Extraction possibility by means of connecting an all-purpose vacuum cleaner

Maximum cutting depth at 90°	57 mm
Saw blade Ø x bore	165 x 20 mm
Max. cutting speed	40 m/s
Weight	3.4 kg

**\$379**

## SSE 18 LTX Cordless Compact Sabre Saw skin

602266840

- Light, extremely handy saw for one or two handed operation
- Especially suitable for working in difficult to reach places
- Extended range of application thanks to unique Quick retainer for sabre saw blades and jigsaw blades
- Integrated LED work light for optimum illumination of the cutting line

Strokes in idle	0 - 3,100 /min
Saw blade stroke	13 mm
Weight	1.7 kg

**\$309**

## ASE 18 LTX Cordless Sabre Saw skin

602269850

- Slim, lightweight machine with soft-grip handle for comfortable sawing in every working position
- Robust die-cast aluminium gear housing, coated for optimum handling
- Saw blade rotatable by 180° for working comfortably overhead

Strokes in idle	0 - 2,700 /min
Saw blade stroke	30 mm
Weight	3.6 kg

**\$349**

## STA 18 LTX 140 Cordless Jigsaw skin

601405840

- Extremely powerful jigsaw with VTC-Electronics for fast cuts into soft wood of up to 140 mm deep
- Extremely handy due to small body circumference and soft-grip surface
- Convenient auto start with automatic stroke rate acceleration
- VTC - work with materials requiring customised stroke rates, which remain constant under load



Cutting depth wood	140 mm
Strokes in idle	1000 - 3,000 /min
Weight	2.8 kg

**\$589**

## STA 18 LTX Cordless Jigsaw skin

602298850

- High sawing performance: in excess of 30 metres in chipboard (19 mm) with only one battery pack charge
- Metabo Quick for changing saw blades without tools
- Long service life thanks to optimum gear and motor design and die-cast aluminium gear housing
- Selectable shaving blower function ensures free view of cutting line
- Vario (V)-Electronics for working with customised stroke rates

**\$319**

Cutting depth wood	140 mm
Strokes in idle	1000 - 3,000 /min
Weight	2.8 kg

## KGS 18 LTX 216 Cordless Mitre Saw skin

602352840

- Powerful cordless mitre saw perfect for assembly jobs with high volume of cuts
- Up to 720 cuts in laminate 195 x 8 mm per battery pack charge (8.0 Ah)
- Sliding function for wide work pieces.
- Compact light weight, suitable also for one-handed transport
- Motor brake for quick stop of the saw blade in 3 seconds
- Robust die-cast aluminium design for the highest demands
- Effective internal chip and dust extraction via dust scoop and chip collection bag
- Fast and precise setting of common angles using stop points
- Cutting line laser and LED work light with energy-saving automatic shutoff
- Adjustable and extendable table width extensions, removable to put long panels, slabs etc. underneath
- Sliding high rear fence profiles for safe sawing
- Depth guide for easy creation of grooves
- Saw head can be inclined to the left, with additional angle range for undercuts

**\$959**

Maximum cutting width 90°/45°	305 / 205 mm
Maximum cutting depth at 90°/45°	65 / 36 mm
Turntable setting left/right	47 / 47 °
Saw blade inclination left/right	47 / 2 °
Saw Blade	216 x 30 mm
Weight	13.6 kg



**Cordless Blind Rivet Gun NP 18 LTX BL 5.0 skin**

619002840

- Cordless rivet gun for extremely fast riveting, comparable to compressed air devices
- Long service life thanks to brushless motor and robust precision gearbox
- With holding nozzles for one-hand operation - inserted rivet holds in any position
- Transparent collecting container for simple emptying of the remaining rivet mandrels
- Quick change of nozzle for different rivet diameters, via integrated tool
- Safety in the workplace thanks to robust knuckle guards
- LED light for optimum illumination when riveting; can be switched off for reflective surfaces
- Robust eyelet for energy-saving work with balancer / spring tension

Rivet Ø all materials	2.4 - 5.0 mm
Max. rivet Ø in aluminium	6.0 mm
Placement force	10,000 N
Weight	2.2 kg

**\$1139****Cordless Beveling Tool KFM 18 LTX 3 RF skin**

601754840

- World's first cordless metal bevelling machine for 45° chamfers up to 4 mm and radii of 2 and 3 mm
- Surfaces free from oxide and burrs as ideal preparation for the application of powder or paint coatings for maximum protection from corrosion
- One-touch controller: Patented, tool-free setting of the cutting depth in 0.1 mm steps; stop points for short setting times, and protection against unintentional adjustment of the cutting depth when working
- Slim milling head for working on tubes, on bores from Ø 13 mm, and on exterior contours

No-load speed	7,000 /min
Max. chamfer height at 45°	4 mm
Max. radius	R3
Grading of cutting depth setting	0.1 mm
Weight	3.1 kg

**\$1949****Cordless Planer HO 18 LTX 20-82 skin**

602082890

- Light, compact cordless planer for planing, rebating and chamfering
- Adjustable planing depth and notch depth
- Aluminium die cast and milled cut planer base with V-groove for easy chamfering
- Parallel guide / rip fence for precise guiding of the planer
- Grip area with non-slip soft-grip surface
- Extraction possibility by means of connecting an all-purpose vacuum cleaner
- Strap on the planer base for stopping the machine and to protect the work piece
- Easy blade change of the robust reversible carbide planer blades

Planing width	82 mm
Adjustable planing depth	0 - 2 mm
Maximum notch depth	9 mm
No-load speed	16,000 /min
Weight	3.5 kg

**\$499****Cordless Stirrer RW 18 LTX 120 skin**

601163850

- Cordless stirrer for powerful mixing on the construction site
- Robust metal frame to protect against damage
- Vario Tacho Constamatic (VC) Electronics for work at customised speeds, which remain almost constant under load
- Battery pack is protected by its location on the top and helps to ensure perfect balance when stirring
- Electronic soft start for splash-free working

**\$959**

No-load speed	0 - 750 /min
Maximum stirring paddle diameter	120 mm
Max. recommended mixing amount	40 l
Bit retainer	Female thread M 14
Weight	4.2 kg

**NEW****Cordless Band Saw MBS 18 LTX 2.5 skin**

613022850

- Light cordless band saw for precise, burr-free cuts in metal, aluminium and plastic
- Compact design for sawing in hard to reach places and overhead
- Low-vibration saw blade running for precision cuts and comfortable working
- Metabo Quick for quickly changing saw blades without tools
- Conventional band saw blades in the respective size can be used

Maximum cutting width	63.5 mm
Saw belt length	835 mm
Saw belt width	13 mm
Saw band speed	174 m/min
Weight	4.1 kg

**\$729****Cordless Caulking Gun KPA 18 LTX 600 skin**

601207850

- Extremely high discharge force, also suited for processing particularly viscous materials
- Infinitely variable setting of the discharge speed for precision working
- Metabo Quick: quick, tool-free change between cartridges and film bags
- Available also in 400 ml Holder Size - Part Number: 601206850

Discharge pressure	7259 N / 740 kg
Holder size	600 ml
Feed rate in idle	1 - 10 mm/s
Weight	3 kg

**\$769****Cordless Multi-Tool MT 18 LTX skin**

613021890

- Oscillating cordless multi-tool with high performance comparable to that of a mains powered version
- Indispensable for interior development such as cutting, sanding and scraping
- Tool holder for maximum compatibility to OIS, Starlock and other accessories
- Metabo Quick tool change system
- Fast and powerful thanks to the combination of a large oscillation angle of 3.2° and VTC-Electronics to maintain constant speed even under load
- Extra bright double LED lights for good visibility of the working area

Orbital frequency with no load	7000 - 18,000 /min
Oscillation angle left/right	1.6 °
Base plate, measurement from corner to corner	93 mm
Weight	1.8 kg

**\$399**



**Cordless Vacuum Cleaner AS 18 L PC skin**

600211890

- Light, compact cordless vacuum cleaner for mobile use for extraction and vacuuming of dust and chips
- Dry vacuum cleaner with commercial registration, certified in accordance with EU standard for L class dust
- PressClean: manual filter cleaning using strong air flow by activating the switch on the extraction unit during breaks
- With integrated blow function for blowing out, drying and drawing off exhaust air
- Eco mode for longer runtime per battery pack charge, boost mode for maximum power
- Large corner switch for easy switching On/Off also by foot operation

Air output max.	2100 l/min
Vacuum	120 hPa (mbar)
Filter surface	3600 cm <sup>2</sup>
Container volume	7.5 l
Weight	7.4 kg

**\$429****Cordless Lamp BSA 14.4-18 LED skin**

60211850

- Robust and durable for demanding construction site use
- two illumination levels
- Minimum heat generation: the spotlight only gets lukewarm for safe handling during continuous operation
- Spotlight can be swivelled quickly and continuously through 180°
- Can also be suspended from a wall or mounted on a tripod

**\$269**


Max. duration of illumination per battery pack charge	18V / LiHD 4,0Ah: 5,4h 18V / LiHD 8,0Ah: 10,8h
Weight (without battery pack)	2.5 kg

**Cordless Hedge Trimmer AHS 18-55 V skin**

600463850

- Blades with special geometry generate less wear and thus deliver 200% longer service life
- Clean cut thanks to diamond-ground blade teeth on both sides at a 30° angle
- Top cutting performance generated by double reduction gearing
- Safety features include electronic blade quick stop (in 0.3 seconds)

Cutting thickness	18 mm
Cutting strength	53 cm
No of strokes (no load)	2,700 /min
Weight	3.8 kg

**\$549****Cordless Worksite Radio R 12-18 BT skin**

602082890

- Robust and compact AM/FM worksite radio with Bluetooth for wireless music enjoyment from your smart phone or tablet
- Operation with all Metabo slide-on battery packs from 12 to 18 Vs or mains-powered
- Robust plastic housing with protection class IP 54 - splash-proof, dust-proof and impact-proof
- Digital DSP tuner with illuminated LCD display and automatic station search

Max. runtime per battery pack charge	18V / LiHD 4,0Ah: 18h 18V / LiHD 8,0Ah: 32h
Radio frequency AM	522 - 1620 kHz
Radio frequency FM	87.5 - 108 MHz
Weight	1.85 kg

**\$ 274****Cordless Blower AG 18 skin**

602242850

- Lightweight cordless blower e.g. for blowing off chips from workpieces, workplace, transporter etc.
- Thumbwheel for preselection of 3 air velocity rate settings for varied output

**\$209**

Air volume	1 / 1.55 / 2.6 m <sup>3</sup> /min
Max. air velocity	74 m/s
Weight	1.87 kg

**CORDLESS KITS 18V****2 PCE KIT - Hammer Drill + Brushless Impact Driver****\$1198**

- 120 Nm Brushless Hammer Drill - SB 18 LTX BL I
- 200Nm Impact Driver - SSD 18 LTX 200 BL
- 2 x 4 Amp High Density Batteries
- ASC 30-36v Charger
- Carry Case

**2 PCE KIT - Brushless Rivet Gun + High Speed Metal Drill****\$1598**

- Rivet Gun - NP 18 LTX BL 5.0
- Metal Drill - BE 18 LTX 6
- 2 x 5.2 Amp Batteries
- ASC 30-36v Charger
- Carry Case

# THE METABO SAFETY & PE

MARATHON  
MOTOR

## Metabo Marathon Motor




### Developed for long service life in extreme applications

#### Up to 20% higher overload capacity & increased robustness:

- Turbo fans accelerate the cooling air to up to 400 km/h.
- Flow-optimised dust protection cage accelerates dust particles from the machine.
- Rear suction vents prevent unintentional covering for longer service life.
- New epoxy resin powder around the field coil.
- 30% more abrasion protection resin at the rotor winding.

#### Constant high speeds under load for quickest material removal:

- Increased rotor diameter for optimum leverage and up to 50% more torque.
- New ventilation technology for significantly reduced average motor temperatures and up to 20% more max. output power.




### New patented field coil technology

#### Maximum power with excellent ergonomics

- The new patented field coil technology permits full performance with reduced handle circumference.
- Highest power density in any class
- Low-fatigue and safe working



#### Cross-section electric motor




## Metabo S-Automatic Safety Clutch



### Developed to minimize the risk of dangerous kickback

- In 1966 Metabo introduced the world's first small angle grinder featuring the Metabo S-automatic safety clutch, designed to minimize the risk of dangerous kickback should the cutting or grinding disc become jammed.
- Not only does the Metabo S-automatic safety clutch provide unrivalled protection for the operator but also for the machine; the S-automatic safety clutch immediately disengages the drive from the motor therefore preventing the motor from stalling, overheating and eventually burning out.
- Most reliable safety clutch on the market.



1966



Today




# PERFORMANCE ADVANTAGE




## Metabo Brake Technology

- Fastest brake system for highest user protection (2 sec.)
- The only braking system to be 100% effective even in the event of power failure



## Metabo Deadman Paddle Switch

- Stops when you do. Once you release pressure on the switch the power tool automatically shuts down.
- This means if you lose your grip on the machine it turns off instantly, significantly reducing your risk of injury.




## Metabo Autobalancer

- User protection: 50% less hand-arm vibration (Vibrations may cause health problems e.g. HAVS = Hand-Arm-Vibration-Syndrome)
- Longer machine lifetime: benefit from reduced vibrations
- Up to 100% longer grinding disc lifetime
- Up to 50% longer cutting disc lifetime



## Metabo Vibrattech

- Effectively protect users from cumulative, work related diseases resulting from vibration, such as hand-arm vibration syndrome (HAVS)
- More comfortable operation with less fatigue, resulting in safer operation



## Soft Start

- Stops start up shock.
- Soft start or "current limitation" limits the current passed to the machine during startup, preventing dangerous powerbursts that can lead to loss of control and RSI.
- Soft Start also doubles as an overload protector, if the user puts more load on the tool than they are supposed to the soft start function will kick in limiting the current and shutting down the tool until the pressure is released



## Restart Protection

- Protection for unexpected start-up.
- If the power supply to the machine is lost whilst in operation, an electronic safety switch prevents the motor from automatically restarting again when power is restored. So if you forget to turn your tool off after the disruption you won't have a "runaway" tool when the power returns.

# Dead Man Paddle Switch Range

## 125 mm Compact Angle Grinders With Deadman Paddle Switch



### WPB 12-125 Quick 1250 Watt

- 125mm
- Input: 1,250w
- Speed: 11,000 rpm
- Torque: 3.4 Nm
- 4m Cable



**\$399**



### WEP 15-125 Quick 1550 Watt

- 125mm
- Input: 1,550w
- Speed: 11,000 rpm
- Torque: 3.5 Nm
- 4m Cable



**\$459**

## Specialised Metal Working With Deadman Paddle Switch



### GEP 710 Plus 710 Watt

- Input: 710w
- Speed: 10,00-30,500
- Collet: 6.4mm
- 4m Cable



**\$479**



### WEPF 9-125 Quick 900 Watt

- 125mm
- Input: 900w
- Speed: 10,000 rpm
- Torque: 2 Nm
- 43° minimum angle



**\$469**

# THE ULTIMATE IN ANGLE GRINDER SAFETY

## 125mm Safety Grinder



### WEPBA 17-125 Q 1700 Watt

- Input: 1,700w
- Speed: 11,000 rpm
- Torque: 3.7 Nm
- 4m Cable



**\$539**

## NEW 180mm Rat Tail Safety Grinder



### WEPBA 19-180 Q RT 1900 Watt

- Input: 1,900w
- Speed: 8,200 rpm
- Torque: 5 Nm
- 4m Cable



**\$479**

Massive range of cutting & grinding wheels and accessories available.

For more info visit:

[www.metabo.com.au](http://www.metabo.com.au)

## THE METABO SAFETY & PERFORMANCE ADVANTAGE

**MARATHON MOTOR**

**MARATHON MOTOR**  
Higher overload capacity for more efficiency



**QUICK CHANGE DISC**  
Tool free disc change



**TC ELECTRONICS**  
Variable Speed. Almost constant speed under load



**VTC ELECTRONICS**  
Variable Speed Constant Speed Under Load.



**ELECTRONIC OVERLOAD PROTECTION**  
Longer Service life

**Electronic Safety Clutch**

**ELECTRONIC SAFETY SHUTDOWN**  
of motor if the disc jams



## 125 mm Compact Angle Grinders



### W 12-125 Quick 1250 Watt

- Input: 1,250w
- Speed: 11,000 rpm
- Torque: 3.4 Nm
- 4m Cable


**\$369**


### WE 15-125 Quick 1550 Watt

- Input: 1,550w
- Speed: 11,000 rpm
- Torque: 3.5 Nm
- 4m Cable


**\$439**


### WEV 15-125 Quick 1550 Watt Variable Speed

- Input: 1,550w
- Speed: 2,800 - 11,000 rpm
- Torque: 3.5 Nm
- 4m Cable


**\$519**


### WEA 17-125 Quick 1700 Watt

- Input: 1,700w
- Speed: 11,000 rpm
- Torque: 3.7 Nm
- 4m Cable


**\$519**


## NEW 125mm Rat Tail Angle Grinder



### WE 17-125 Q RT 1700 Watt

- Input: 1,750w
- Speed: 11,000 rpm
- Torque: 3.8 Nm

**\$399**
**NEW**


## 180 mm Angle Grinders



### W 22-180 MVT 2200 Watt

- Input: 2,200w
- Speed: 8,500 rpm
- Torque: 11 Nm
- 4m Cable
- 3 position rotatable rear handle


**\$429**


### WE 24-180 MVT 2400 Watt

- Input: 2,400w
- Speed: 8,500 rpm
- Torque: 14 Nm
- 4m Cable
- 3 position rotatable rear handle


**\$459**

## NEW 180 mm Rat Tail Angle Grinder



### WE 19-180 Q RT 1900 Watt

- Input: 1,900w
- Speed: 8,200 rpm
- Torque: 5 Nm
- 4m Cable

**\$479**


## 230 mm Angle Grinders



### W 24-230 MVT 2400 Watt

- Input: 2,400w
- Speed: 6,600 rpm
- Torque: 17 Nm
- 4m Cable
- 3 position rotatable rear handle


**\$439**


### WE 24-230 MVT Q 2400 Watt

- Input: 2,400w
- Speed: 6,600 rpm
- Torque: 17 Nm
- 4m Cable
- 3 position rotatable rear handle


**\$479**


**S-AUTOMATIC SAFETY CLUTCH**  
Mechanical clutch Prevents Kickback



**FAST BRAKE**  
Stops the machine within 2 seconds



**AUTOBALANCER**  
Reduces harmful vibrations



**ANTI-VIBRATION SIDE HANDLE**  
Reduces hand-arm vibrations



**SOFT-START**  
Greater initial control at start up



**RESTART PROTECTION**  
Protects the user from unintentional start-up

## Specialist Metalworking: 125mm Flat Head Angle Grinders



WORLD'S FIRST

## WEF 15-125 Quick 1550 Watt

- Input: 1,550w
- Speed: 11,000 rpm
- Torque: 3.5 Nm
- 4m Cable
- Electronic Kick back stop
- 43° minimum angle
- 66 x 110 mm (h x d) gap



\$499

## Specialist Metalworking: Die Grinders



\$389



## GE 710 Compact 710 Watt

- Input: 710w
- Speed: 13,000 - 34,000 rpm
- Collet: 1/4"
- 4m Cable



\$479



## GE 710 Plus 710 Watt

- Input: 710w
- Speed: 10,000 - 30,500 rpm
- Collet: 1/4"
- 4m Cable



\$629



## GE 950 G Plus 950 Watt

- Input: 950w
- Speed: 2,500 - 8,700 rpm
- Collet: 1/4"
- 4m Cable

## NEW Specialist Metalworking: Bevelling Tools

## Common Features

- Patented One-touch controller
- Precise setting of the chamfer angle directly via the guide plates

- Universal cutter head with three carbide indexable inserts for all chamfer angles
- Suitable for steel, stainless steel, aluminium and aluminium alloys

- No blue discolouration or structural change due to heat
- Dust free working for high user protection

## For Chamfer &amp; Radius



\$1920

## KFM 9-3 RF 900 Watt

- Input: 900w
- Speed: 11,500/min
- Edge types: Chamfer & radius
- Max. chamfer height at 45°: 4mm
- Max. radius: R3
- Ball-bearing stationary seal ring for easy working in curves or corners
- Guide stop for easy processing of straight work



## For Chamfer



## KFM 16-15 F 1600 Watt

- Input: 1,600w
- Speed: 12,000/min
- Edge types: Chamfer
- Max. chamfer height at 45°: 15mm
- Max. chamfer width at 45°: 21mm



\$5190



## KFM 15-10 F 1500 Watt

- Input: 1,500w
- Speed: 12,500/min
- Edge types: Chamfer
- Max. chamfer height at 45°: 10mm
- Max. chamfer width at 45°: 14mm



\$4749

## THE METABO SAFETY &amp; PERFORMANCE ADVANTAGE

MARATHON MOTOR

**MARATHON MOTOR**  
Higher overload capacity for more efficiency



**QUICK CHANGE DISC**  
Tool free disc change



**TC ELECTRONICS**  
Variable Speed. Almost constant speed under load



**VTC ELECTRONICS**  
Variable Speed Constant Speed Under Load.



**ELECTRONIC OVERLOAD PROTECTION**  
Longer Service life

**Electronic Safety Clutch**

**ELECTRONIC SAFETY SHUTDOWN**  
of motor if the disc jams



# 150 mm Random Orbital Sander Compatible with M+ fully integrated dust extraction system



## SXE 3150 Random Orbital Sander

- **Lightweight with perfect ergonomics**
- Grip area with non-slip soft-grip surface
- Variable Speed
- Thumbwheel for speed preselection
- TurboBoost
- Power Control System



**\$259**



Rated input	310 w
Speed (orbits)	4,000- 12,000 /min
Orbit	ø 3 mm
Base plate	ø 150 mm

# 150 mm Random Orbital Sander Compatible with M+ fully integrated dust extraction system



## SXE 450 TurboTec Random Orbital Sander

- **Patented adjustable dual orbit diameter**
- Grip area with non-slip soft-grip surface
- Variable Speed
- Thumbwheel for speed preselection
- TurboBoost
- Power Control System



**\$489**



Rated input	350 w
Speed (orbits)	4,200 - 11,000 /min
Orbit	ø 2.8 / 6.2 mm
Base plate	ø 150 mm

# 1010w Belt Sander Compatible with M+ fully integrated dust extraction system

BAE 75




Includes: Stand



**\$519**

Sanding width	75 mm
Belt speed	<b>NEW</b> 240 - 450 rpm
Belt size	75 x 533 mm
Belt support surface	85 x 150 mm

# 200w Palm Sanders Compatible with M+ fully integrated dust extraction system



## FSX 200 Intec

- 11,000 Orbits /Min
- Orbit ø 2.7 mm
- 125 mm

**\$149**



## FMS 200 Intec

- 26,000 Orbits /Min
- Orbit ø 1.4 mm
- triangle 100 x 147 mm

**\$154**



## FSR 200 Intec

- 26,000 Orbits /Min
- Orbit ø 1.4 mm
- Square 114 x 102 mm

**\$149**



# M+ Fully Integrated Dust Extraction System



**\$489**



ASA 32 L

- Socket with Auto start

35 Litre Vacuums with Auto Clean

ASR 35 L ACP

ASR 35 M ACP

- Auto filter cleaning mode
- Auto Trailing:
- 2 Strong/Washable M-class:
- Power socket with auto start
- Automatic shut-off: when liquid reaches the drum capacity
- Soft Start
- M Class model includes Anti Static hose



**\$989**



**\$1119**



Technical Data	ASA 32 L	ASR 35 L ACP	ASR 35 M ACP
Rated input	1,200 w	1,400 w	1,400 w
Vacuum	200 hpa (mbar)	248 hpa (mbar)	248 hpa (mbar)
Filter surface	3,600 cm <sup>2</sup>	8.600 cm <sup>2</sup>	8.600 cm <sup>2</sup>
Hose	3.2 m x ø 35 mm	3.2 m x ø 35 mm	3.2 m x ø 35 mm
Container volume	32 litres	35 litres	35 litres



Corded Drill/Hammer Drill/Combination Hammers



\$519

BE 75-16 Drill

- Robust die cast aluminium gear housing
- Rotating carbon brush bridge e.g. for the removal of stubborn screws
- Vario (V)-Electronics for working at customised speeds to suit various application materials
- Metabo S-automatic safety clutch
- Spindle with hexagonal recess for screwdriver bits for working without chuck



\$389

SBE 850-2 Impact Drill

- Marathon motor
- Metabo S-automatic safety clutch; •Variable Speed
- Alloy 2 x speed gearbox
- Auto Stop Carbon Brushes
- 13mm metal keyless chuck



\$979

KHE 5-40 Combination Hammer

- Metabo S-automatic safety clutch
- VTC Electronics: Constant torque even under load, Variable Speed
- Brush wear display
- Auto stop carbon brushes
- Rotation stop
- Vibration damping system
- Magnesium die-cast gear housing

Concrete Grinders- Rat Tail Compatible with M+ fully intergrated dust extraction system




RFEV 19-125 RT Concrete Milling Machine



- Perfect Ergonomics, slim handle
- Very High Troque
- VTC Electronics: Constant torque even under load, Variable Speed
- Soft start
- Restart protection
- Low Weight
- Quick depth adjustment
- Spring loaded brush skirt



\$1179



RSEV 19-125 RT Concrete Grinder



- Perfect Ergonomics, slim handle
- Double reduction high-performance gearing
- VTC Electronics: Constant torque even under load, Variable Speed
- Soft start
- Foding front segment
- Low Weight
- Quick depth adjustment
- Spring loaded brush skirt



\$1659



Technical Data	RFEV 19-125 RT	RS 17-125
Rated input	1,900 Watt	1,900 Watt
Disc size ø	125 mm	125 mm
Speed	750- 31000 rpm	3800- 8200 rpm
Torque	16.8 Nm	5 Nm

THE METABO SAFETY & PERFORMANCE ADVANTAGE

MARATHON MOTOR

Higher overload capacity for more efficiency



QUICK CHANGE DISC Tool free disc change



TC ELECTRONICS Variable Speed. Almost constant speed under load



VTC ELECTRONICS Variable Speed Constant Speed Under Load.



ELECTRONIC OVERLOAD PROTECTION Longer Service life

Electronic Safety Clutch

ELECTRONIC SAFETY SHUTDOWN of motor if the disc jams



# Wall Chasers Compatible with M+ fully integrated dust extraction system




**\$1089**



## MFE 40 Wall Chaser

- Suitable for quick and clean cutting of wall channels
- Channel width and cutting depth can be set
- Low-dust
- Metabo Marathon motor
- Overload protection
- Tacho-Constamatic Electronics
- Restart protection
- Metabo S-automatic safety clutch
- Double Blade and Triple Blade Options



**\$1749**

## MFE 65 Wall Chaser

- Suitable for quick and clean cutting of wall channels
- Channel width and cutting depth can be set
- Metabo Marathon motor
- Electronic overload protection
- Soft Start
- Restart protection
- Metabo VibraTech (MVT)
- Electronic safety shutdown

Technical Data	MFE 40	MFE 65
Rated input	1,900 w	2,400 w
Disc Size ø	125 mm	230 mm
Possible groove widths	9 mm	3 / 9 / 17 / 29 / 33 / 37 / 41 mm
Cutting depth	10 - 40 mm	20 - 65 mm
Speed	8,200 rpm	6,500 rpm
Torque	6 Nm	9.8 kg

**Diamond cutting blades**

**125mm 628131000**  
• 2 Blades per pack

**230mm 628135000**  
• 2 Blades per pack


# Ancillary Corded Tools



**\$729**

## LF 724 Paint Stripper

- Saves up to 70% of time when compared to conventional working methods
- Removal of paint and varnish from even wooden surfaces, such as stairs, doors and windows
- processing notches by virtue of lateral blades
- Variably adjustable milling depth
- Carbide reversible blade, can be used on four sides for a long service life



**\$329**

## HS 8745 Hedge Trimmer


- Patented Metabo handle system with additional switch for up to 50% more reach and range
- Patented mechanical quick blade stop (in 0.05 seconds) for improved safety
- Blades with special geometry generate less wear and thus deliver 200% longer service life
- Clean cut thanks to diamond-ground blade teeth on both sides at a30° angle



**\$209**

## HE 20-600 Hot Air Gun

- Wide range of uses: removal of varnish, shaping, crimping, welding and much more
- High-quality ceramic heating, powerful motor and optimum device cooling for long service life
- Quick and easy temperature setting via thumbwheel control



# Metabo Cordless Alliance System: One battery, many solutions.



EISENBLÄTTER

part of **starmix**  
**haaga**

**Collomix**

**mafell**

**metabo**

**E E** EIBENSTOCK  
Elektrowerkzeuge

**starmix**

**STEINEL**

**ROTHENBERGER**

100% compatibility for more  
than 110 Powertools

DEALERSHIP:

Tooline Limited  
49A Sonter Road  
Christchurch, NZ  
Ph:(03) 365 5931 Fax:(03) 365 5932  
sales@tooline.co.nz  
www.metabo.co.nz

**XXL**  
3 YEARS  
WARRANTY

#### The Metabo 3-year warranty

We provide an extra XXL warranty on all our products. Simply register your product on-line within 4 weeks of purchase and your standard guarantee is extended to three years.

Register at [www.metabo.com/xxl](http://www.metabo.com/xxl)

**metabo**<sup>®</sup>  
PROFESSIONAL POWER TOOL SOLUTIONS

\*ALL PRICES EXCLUDE GST

METABO RESERVES THE RIGHT TO CORRECT ANY PRINTED ERRORS (E&OE). PRODUCTS MAY VARY DUE TO TECHNICAL CHANGES & AVAILABILITY.